

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Sales No. : 11591-401-5 (A.221.55)
WHITE MUSK

1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances : Perfume compound

1.3 Details of the supplier of the safety data sheet

Company : MINIMA Martyna Kotur
ul. Franciszka Klimczaka 1
02-797 Warszawa
POLAND

Telephone : +48 578 715 000
E-mail address : cs@essentials.com.pl
Responsible/issuing person

1.4 Emergency telephone number

+48 578 715 000 (office hours only)

SECTION 2. Hazards identification


2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

	H319	Causes serious eye irritation.
	H412	Harmful to aquatic life with long lasting effects.
Precautionary statements	Prevention:	
	P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/ eye protection/ face protection.
	Response:	
	P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
	P337 + P313	If eye irritation persists: Get medical advice/ attention.
	P362 + P364	Take off contaminated clothing and wash it before reuse.

Hazardous components which must be listed on the label:

- 3-(4-tert-butylphenyl)-2-methylpropanal 80-54-6
- 3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) 115-95-7
- 2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphthalene (main isomer) 54464-57-2
- benzyl 2-hydroxybenzoate 118-58-1
- 2-hexyl-3-phenyl-2-propenal (trans & cis) 101-86-0
- 2H-1-benzopyran-2-one (=coumarin) 91-64-5
- 4(3)-(4-Methyl-3-pentenyl)-3-cyclohexen- carbaldehyde 37677-14-8

2.3 Other hazards

Hazards not Otherwise Classified. : None

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3. Composition/information on ingredients

3.2 Mixtures

Hazardous components

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

- E S S E N T I A L S

PREMIUM FRAGRANCES

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration [Percent by weight]
Benzyl acetate	140-11-4 205-399-7 01-2119638272-42	Aquatic Chronic 3; H412	>= 10 - < 20
2-phenoxyethanol	122-99-6 204-589-7 01-2119488943-21	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 5 - < 10
2-phenylethanol	60-12-8 200-456-2 01-2119963921-31	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 1 - < 5
3-(4-tert-butylphenyl)-2-methylpropanal	80-54-6 201-289-8 01-2119485965-18	Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Repr. 2; H361 Aquatic Chronic 3; H412	>= 2,5 - < 3
3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	115-95-7 204-116-4 01-2119454789-19	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317	>= 1 - < 5
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra-methylnaphtalene (main isomer)	54464-57-2 259-174-3 01-2119489989-04	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
benzyl 2-hydroxybenzoate	118-58-1 204-262-9 01-2119969442-31	Eye Irrit. 2; H319 Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 0,25 - < 1
2-hexyl-3-phenyl-2-propenal (trans & cis)	101-86-0 202-983-3 01-2119533092-50	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,25 - < 1

Administrative information:

Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24

Sales & Distribution Information: AR01/FR/FR10/01

Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

2H-1-benzopyran-2-one (=coumarin)	91-64-5 202-086-7 01-2119949300-45	Acute Tox. 4; H302 Skin Sens. 1B; H317	>= 0,1 - < 1
4(3)-(4-Methyl-3-pentenyl)-3-cyclohexen- carbaldehyde	37677-14-8 253-617-4	Skin Sens. 1B; H317 Aquatic Chronic 2; H411	>= 0,1 - < 0,25

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.
- In case of eye contact : Remove contact lenses.
Immediately flush eyes for at least 15 minutes. Get medical attention.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : no data available
Risks : no data available

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : no data available

SECTION 5. Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical
Alcohol-resistant foam

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

Carbon dioxide (CO₂)
Water spray

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : no data available

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Not applicable

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.
 Temperature class : no data available
 Fire-fighting class : no data available
 Dust explosion class : no data available

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Ambient / 10-30°C (50-85°F)
 Dry, well ventilated, preferably full, hermetically sealed
 Advice on common storage : Protect against light.
 German storage class : no data available
 Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : no data available

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
2-phenoxyethanol	122-99-6	AGW	20 ppm 110 mg/m3	2013-09-19	DE TRGS 900
Further information	: DFG: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission). Sum of vapor and aerosols. Skin absorption When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				

Administrative information:
 Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
 Sales & Distribution Information: AR01/FR/FR10/01
 Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

8.2 Exposure controls

Personal protective equipment

- Respiratory protection** : Use only in well-ventilated areas.
In case a risk analysis proved the cartridge respirator as acceptable, use type:
ABEK-P3 (EN 14387) respirator cartridges as a backup to engineering controls.
In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators.
Use respirators and components tested and approved under appropriate government standards such as CEN (EU).
- Hand protection** : Use gloves when handling substance in open systems.
Inspect gloves prior to use. Train operators for proper use.
If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523-1 breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently.
If direct skin contact is expected: use gloves tested according to EN 16523-1, tested for chemicals indicated in chapter 3 of this SDS. Permeation time must exceed contact time.
- Eye protection** : Use safety glasses and faceshield tested according to EN 166.
- Skin and body protection** : Wear working clothes covering arms and legs.
The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Use apron or complete chemical suit if exposure is expected.
- Hygiene measures** : Do not eat, drink or smoke during work.
Wash and dry hands after finished working.
- Protective measures** : Exposure assessment: Exposure is dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the product's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional respiratory protection.

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained and used to PPE handling.

Environmental exposure controls

General advice : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: liquid
Colour	: colorless to Very slightly yellow
Taste	: not determined
Odour	: Floral, Musky, Powdery
Odour Threshold	: Not applicable
Flash point	: 105 °C Method: Grabner miniflash closed cup
Lower explosion limit	: not determined
Upper explosion limit	: not determined
Flammability (solid, gas)	: Not applicable
Oxidizing properties	: no data available
Auto-ignition temperature	: not determined
Decomposition temperature	: no data available
pH	: not determined
Melting point	: not determined
Boiling point	: not determined
Vapour pressure	: 0,0399 hPa at 20 °C Calculated (99,9 %)
Density	: 944,29 kg/m ³ at 20 °C
Bulk density	: Not applicable
Water solubility	: not determined
Solubility/qualitative	: practically insoluble
Partition coefficient: n-octanol/water	: Not applicable
Viscosity, kinematic	: no data available
Relative vapour density	: no data available
Evaporation rate	: no data available
Explosive properties	: no data available

9.2 Other information

Not applicable

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

SECTION 10. Stability and reactivity

10.1 Reactivity

none

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : no data available

10.5 Incompatible materials

Materials to avoid : no data available

10.6 Hazardous decomposition products

Hazardous decomposition products : no data available

Thermal decomposition : no data available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity : Acute toxicity estimate
Dose: > 2 000 mg/kg
Method: Calculation method

Acute oral toxicity

Benzyl acetate : LD50: 2 490 mg/kg Species: Rat

2-phenoxyethanol : LD50: 1 840 mg/kg Species: Rat

2-phenylethanol : LD50: 1 790 mg/kg Species: Rat

3-(4-tert-butylphenyl)-2-methylpropanal : LD50: 1 390 mg/kg Species: Rat

3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate) : LD50: 13 934 mg/kg Species: Rat

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethylnaphthalene (main isomer)	: LD50: > 5 000 mg/kg	Species: Rat
benzyl 2-hydroxybenzoate	: LD50: 2 227 mg/kg	Species: Rat
2-hexyl-3-phenyl-2-propenal (trans & cis)	: LD50: 3 100 mg/kg	Species: Rat
2H-1-benzopyran-2-one (=coumarin)	: LD50: 520 mg/kg	Species: Rat
4(3)-(4-Methyl-3-pentenyl)-3-cyclohexen- carbaldehyde	: LD50: > 5 000 mg/kg	Species: Rat
Acute inhalation toxicity	: No data is available on the product itself.	
Acute dermal toxicity	: No data is available on the product itself.	
Acute dermal toxicity 2-phenoxyethanol	: LD50: 14 422 mg/kg	Species: Rat
3,7-dimethyl-1,6-octadien-3-yl acetate (= linalyl acetate)	: LD50: > 5 000 mg/kg	Species: Rabbit
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethylnaphthalene (main isomer)	: LD50: > 5 000 mg/kg	Species: Rabbit
benzyl 2-hydroxybenzoate	: LD50: 14 150 mg/kg	Species: Rabbit
4(3)-(4-Methyl-3-pentenyl)-3-cyclohexen- carbaldehyde	: LD50: > 5 000 mg/kg	Species: Rabbit
Acute toxicity (other routes of administration)	: No data is available on the product itself.	
Skin corrosion/irritation Skin irritation	: May cause skin irritation and/or dermatitis.	
Serious eye damage/eye irritation Eye irritation	: Vapours may cause irritation to the eyes, respiratory system and the skin.	

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

Respiratory or skin sensitisation

Sensitisation : No data is available on the product itself.

Germ cell mutagenicity

Germ cell mutagenicity : No data is available on the product itself.

Carcinogenicity

Carcinogenicity : No data is available on the product itself.

Reproductive toxicity

Reproductive toxicity : No data is available on the product itself.

Target Organ Systemic Toxicant - Single exposure

Target Organ Systemic Toxicant - Single exposure : No data is available on the product itself.

Target Organ Systemic Toxicant - Repeated exposure

Target Organ Systemic Toxicant - Repeated exposure : No data is available on the product itself.

Target Organ Systemic Toxicant - Repeated exposure Aspiration hazard

Aspiration toxicity : No data is available on the product itself.

Phototoxicity

Phototoxicity : No data is available on the product itself.

Further information : no data available

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish : no data available
Toxicity to daphnia and other aquatic invertebrates : no data available
Toxicity to algae : no data available
M-Factor
2-acetyl-1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetra- : 1

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

methylnaphtalene (main isomer)
M-Factor
2-hexyl-3-phenyl-2-propenal : 1
(trans & cis)
Toxicity to bacteria : no data available
Toxicity to fish (Chronic toxicity) : no data available
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : no data available

Acute aquatic toxicity : no data available
Chronic aquatic toxicity : no data available
Toxicity Data on Soil : no data available
Other organisms relevant to the environment : no data available

12.2 Persistence and degradability

Biodegradability : no data available

12.3 Bioaccumulative potential

Bioaccumulation : no data available

12.4 Mobility in soil

Mobility : no data available
Distribution among environmental compartments : no data available
Additional advice : no data available
Environmental fate and pathways
Physico-chemical removability : no data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Biochemical Oxygen Demand (BOD) : no data available
Dissolved organic carbon (DOC) : no data available
Chemical Oxygen Demand (COD) : no data available
Adsorbed organic bound halogens (AOX) : no data available
Additional ecological : An environmental hazard cannot be excluded in the event of

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

information

unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

SECTION 13. Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Dispose of in accordance with local regulations.

SECTION 14. Transport information

14.1 UN number

N/A

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

N/A

14.4 Packing group

N/A

14.5 Environmental hazards

N/A

14.6 Special precautions for user

IMDG
IMDG Code Segregation : None
Group

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Administrative information:
Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24
Sales & Distribution Information: AR01/FR/FR10/01
Shipping Order Information: 16 446 867/8 771 186

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Major Accident Hazard Legislation : Not applicable

Water contaminating class (Germany) : WGK 2 significantly water endangering
Classification according to AwSV, Annex 1 (5.2)

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

— E S S E N T I A L S

PREMIUM FRAGRANCES

WHITE MUSK

Version 1.0

Revision Date 01.01.2021

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Administrative information:

Report Information: SDS_DE/EN/GHS_SDS_EU_CNTRY/24

Sales & Distribution Information: AR01/FR/FR10/01

Shipping Order Information: 16 446 867/8 771 186